

- Evitayani, L. Warly, A. Fariani, M. Hayashida and T. Fujihara, 2006b. Micro mineral solubility of forages in South Sumatera, Indonesia. *Journal of Food, Agriculture & Environment - JFEA*, Vol. 4 (2) : 213-215.
-
- _____ . 2006c. Micro mineral solubility of forages in South Sumatera, Indonesia. *Journal of Food, Agriculture & Environment - JFEA*, Vol. 4 (2) : 213-215.
- Fatmawati, Sritayani dan Winda. M. 2004. Komposisi kimia fraksi jerami padi (daun, pelepah, batang). *Skripsi*. Fakultas Peternakan Universitas Andalas, Padang.
- eorgievskii, V. I., B. N. Annenkov and V. I. Samokhin. 1982. *Mineral of Animal*, First Ed. Publish in English. Butterworth, London.
- Girindra, A. 1998. *Biokimia Patologi Hewan*. Pusat Antar Universitas. Institut Pertanian Bogor, Bogor.
- Goering, H. K. and R. J. Van Soest. 1970. Forage fibre analysis. *USDA Agric. Handbook* No. 379, Washington.
- Greuel, E. and P. Burry. 1990. Microbial degradation in the rumen of wheat straw and anhydrous ammonium treated wheat straw observed by electron microscopy. *Reprod. Nutr. Dev.* 30: 533-540
- Gulati, S. K., J. R. Ashes., G. L. R. Gordon and M. W. Philips. 1985. Possible contribution of rumen fungi to fiber digestion in sheep. *Proc. Nutr. Soc. Aust.* 10.
- Hakim, M. 1992. Laju degradasi protein kasar dan organik *Setaria splendida*, Rumput lapangan dan Alang-alang (*Imperate cylindrica*) dengan teknik *in sacco*. *Skripsi*. Fakultas Peternakan Intitut Pertanian Bogor, Bogor.
- Hungate, R. E., 1966. *The Rumen and Its Microbes*. Departement of Bacteriology and Agriculture Experiment station, University of California. Davis California Academy Press, London.
- Jamarun, N. 1999. Penggunaan bahan kimia alkali untuk meningkatkan kualitas pucuk tebu. *J. Penelitian Universitas Andalas Padang*. No. 29. P. 82-87.
- Jhonson, K. R. 1966. Technique for Procedures *In-vitro* and *In-vivo* Rumen Studies. *Journal. Animal Science*. 25 : 855-873.
- Karto, A. A., 1999. Peran dan kebutuhan sulfur pada ternak ruminansia. *Wartazoa*. Buletin Ilmu Peternakan Indonesia. 8 : 38-43.
- Kennedy, P.M, J.B. Lowry and L.I. Conlan. 2000. Phosphat rather than surfactant accounts for the main contribution to enchanced fibre digestibility resulting from treatment with boiling neutral detergent. *Animal Feed Sci. and Technology*, Vol 86: 177-177